





IN THE OPERATING ROOM (OR), THE SURGICAL TABLE IS THE FOUNDATION OF CARE.

It's where surgeons start patients on the path to recovery. It's where nurses, technicians and specialists come together to keep operations running smoothly. It's where patients are supported and positioned during this critical life moment.

At the center of all this activity, the stakes are high. And your standards should be, too.

MEET THE PST 500 PRECISION SURGICAL TABLE FROM HILLROM.

This versatile, easy-to-use table sustains the volume and variety of procedures you face every day—helping you support your patients and streamline your workflow.

Because the right surgical table isn't just a table—it's the foundation on which care happens. And with a strong foundation, anything is possible.





VERSATILE

One table supports a wide range of positions across various surgical applications — helping you stretch your investment and expand your procedural capabilities.



SAFE

With a 1,000 lbs (454 kg) weight capacity, collision control, self-leveling floor locking system and more, the PST 500 is designed with the safety of the patient and user in mind.*



EFFICIENT

Modular design, ergonomic handling, 360° imaging, and light messaging system help you streamline your workflow and see more patients, faster.**



INTUITIVE

The table is quick to set up and easy to use with lightweight components, a self-aligning hook coupler system, and an intuitive remote control.









THYROID
Supine position for thyroid surgery



KIDNEY
Lateral position for nephrectomy
or thoracic surgery



RECTAL
Frontal posture kneeling position for rectal or lower spine surgery



GYNECOLOGY/UROLOGY
Lithotomy position for gynecological
or urology surgery

ORTHOPEDICS

With the PST 500, the table you use for general surgeries can also support numerous orthopedic procedures.





SHUULDER

Beach chair position for arthroscopy

and open shoulder surgical cases



HAND
Hand extension attachment for upper
extremity fixation and support





FEMUR AND HIP Minimally invasive (MIS) hip arthroplasty



KNEE Free access for arthroscopy

SPINE AND NEUROSURGERY



360° IMAGING MADE SIMPLE

The table's radiolucent tabletop and carbon fiber equipment make 360° imaging simple—plus, you can position a C-arm where you need it with convenient longitudinal sliding range.



*360° imaging capability with specific carbon components.





NEUROSURGERY

Neurosurgery in sitting position to support posterior cranial surgeries



360° NEUROSURGERY

Flexible head positioning with 3-joint adaptor for 3D neurosurgery

INTUITIVE BY DESIGN

We designed the PST 500 to be easy to use, so your surgical team can focus on what counts—the patient in front of them.

QUICK SETUP

The table's lightweight components and self-aligning hook-coupling point system make setup and modifications quick and easy.

SMOOTH SURFACES

Sleek surfaces help to facilitate cleaning.

INNOVATIVE LIGHT MESSAGING SYSTEM

Color-coded LED lights communicate table statuses such as brake setting, battery level and error state, reducing alarm fatigue in your clinical staff.



VERSATILE TABLETOP

With its wide articulation ranges, the correct position is always within reach.

*360° imaging capability with specific carbon components.

**Weight capacity may fluctuate based on table configuration Refer to the IFU for additional information.

IMAGING SUPPORT

With nearly 15.75" (40 cm) of tabletop slide, C-arm access is simple—and carbon fiber components enable 360° imaging.*



COLLISION CONTROL

Avoid collisions—and the risks that come with them.

INTUITIVE DESIGN

All operating elements are color-coded for quick access and ease of use.

HIGH PATIENT WEIGHT CAPACITY

Supporting up to 1,000 lbs (454 kg), the table can accommodate a variety of patients.**



Dual castors and standard 5th wheel help you move the table where you need it.

INTUITIVE WIRED OR WIRELESS REMOTE CONTROL

The backlit remote control—available in wired or wireless models—is easy to use in low-light environments. Its icons, colors and symbols match those on the control column for simplicity and efficiency.




TECHNICAL SPECIFICATIONS

The PST 500 builds upon Hillrom's strong surgical legacy of high-quality engineering —at a price that won't break your budget. It is designed to handle real-world surgical environments—including yours.


PST 500 Precision Surgical Table

Length	76.6" (227.4 cm)
Net table weight	551.2 lbs (250 kg)
Height adjustment	23.5" - 45.2" ± 0.2" (59.8 cm - 114.8 cm ± 0.5 cm)
Trendelenburg / reverse Trendelenburg	± 35° (± 2°)
Tilt	± 25° (± 2°)
Longitudinal slide	15.75" ± 0.2" (40 cm ± 0.5 cm) head side: 7.9" (20 cm), foot side: 7.9" (20 cm)
Adjustment range joint back section	± 90° (± 2°)
Adjustment range joint leg section	+ 90° / - 105°
Zero positioning	Simultaneous self-leveling of tabletop sections
Maximum overall load	1,000 lbs (454 kg)*

^{*}Weight capacity may fluctuate based on table configuration. Refer to the IFU for additional information.



LONGITUDINAL SLIDE



EXPERT MAINTENANCE. READY WHEN YOU NEED US.

With an easy access column and base and an intuitive error diagnosis display system built in, the PST 500 allows you to pinpoint potential issues and maximize equipment uptime.

When you need extra help, you can count on Hillrom's **SmartCare** Services team for expert support.

THE SMARTCARE PROTECTION+ SERVICE PLAN CAN REDUCE INTERRUPTIONS IN CARE, ALLOWING YOU TO FOCUS ON WHAT'S REALLY IMPORTANT - YOUR PATIENTS.

- Over 1,000 certified service technicians nationwide
- Over 140 service centers across the US
- Includes repair, parts and preventive maintenance
- Set up and delivery assistance for new equipment upon request
- OEM replacement parts with 10% off parts and fee-for-service



The Foundation You — and Your Patients — Deserve













Standard siderails to accommodate



^{*}Weight capacity may fluctuate based on table configuration. Refer to the IFU for additional information.

^{**360°} imaging capability with specific carbon components.

For more information pleas	se contact you	r Baxter rep	resentative.			
hillrom.com						
Baxter reserves the right to make changes wextended on the sale or rental of its product	without notice in design s.	, specifications an	d models. The only wa	nrranty Baxter makes	s is the express w	itten warranty
Baxter, and Hillrom are trademarks of Baxte						